



Model	picture	dec	buy	co-worker	user
ADSL/VDSL Modem					
Archer VR400		AC1200 Wireless VDSL/ADSL Modem Router, Broadcom CPU, 802.11ac/a/n/g/b, 867Mbps at 5GHz + 300Mbps at 2.4GHz, 1GE WAN/LAN+3FE LAN, 1 USB 2.0, 3 fixed antennas, Annex A, with VDSL splitter			
TD-W9970		300Mbps Wi-Fi VDSL/ADSL Modem Router, 802.11b/g/n, 300Mbps at 2.4GHz, 4 FE LAN ports, 2 fixed antennas, Cloud Support, with VDSL splitter, Annex A/B			
TD-W9960		300Mbps Wi-Fi VDSL/ADSL Modem Router, 802.11b/g/n, 300Mbps at 2.4GHz, 4 FE LAN ports, 2 fixed antennas, Cloud Support, with VDSL splitter, Annex A/B			
TD-W8961N		300Mbps Wireless N ADSL2+ Modem Router, MediaTek, 802.11b/g/n, 300Mbps at 2.4GHz, 4 FE LAN ports, ADSL/ADSL2/ADSL2+, Annex A, 2 fixed antennas, Wi-Fi on/off button, with ADSL splitter	IRR 4,600,000		4,750,000
3G/4G Modem					
Archer MR200		AC750 Wireless Dual Band 4G LTE Router, build-in 4G LTE modem, support LTE-FDD/LTE-TDD/DC-HSPA+/HSPA+/HSPA/UMTS/EDGE/GPRS/GSM, with 3x10/100Mbps LAN ports and 1x10/100Mbps LAN/WAN port, 300Mbps at 2.4GHz, 433Mbps at 5GHz, 802.11b/g/n/ac, 3 internal Wi-Fi antennas, 2 detachable LTE antennas.	IRR 17,500,000	IRR 18,375,000	19,000,000
Archer MR6400		AC1350 Wireless Dual Band 4G LTE Router, build-in 4G LTE modem, support LTE-FDD/LTE-TDD/DC-HSPA+/HSPA+/HSPA/UMTS/EDGE/GPRS/GSM, with 3x10/100Mbps LAN ports and 1x10/100Mbps LAN/WAN port, 450Mbps at 2.4GHz, 867Mbps at 5GHz, 802.11b/g/n/ac, 3 internal Wi-Fi antennas, 2 detachable LTE antennas. Tether App, Cloud support	IRR 14,370,000	IRR 15,807,000	16,500,000
Archer MR100		Cutting-edge 4G network – Share internet access with up to 32 Wi-Fi devices and enjoy download speeds of up to 150 Mbps Plug a SIM card and play – No configurations needed, compatibility of SIM cards in 100+ countries are assured by years of field tests Two detachable advanced LTE antennas – Enjoy stable and efficient connections to	IRR 12,800,000	IRR 13,440,000	15,000,000
M7350		150Mbps 4G LTE-Advanced Mobile Wi-Fi, internal 4G Modem, SIM card slot, 1.4 inch TFT screen display, 2550mAh rechargeable battery, micro SD card slot, LTE-FDD/DC-HSPA+/HSPA/UMTS/EDGE/GPRS/GSM, 300Mbps 2.4GHz/5GHz selectable Dual Band Wi-Fi	IRR 18,750,000		
M7200		Share with friends internet access for up to 10 devices simultaneously, 2000mAh battery for 8 hours of usage Supports the latest generation 4G FDD/TDD-LTE, compatible with the network of most countries and regions Easy management with the tpMiFi App			
Accesspoint					
TL-WA901ND		450Mbps Wireless N Access Point, Qualcomm, 2.4GHz, 802.11b/g/n, Passive PoE Supported, AP/Client/Bridge/Repeater, Multi-SSID, 3 detachable antennas	IRR 8,210,000	IRR 9,500,000	10,500,000
TL-WA801ND		300Mbps Wireless N Access Point, Qualcomm, 2.4GHz, 802.11b/g/n, Passive PoE Supported, AP/Client/Bridge/Repeater, Multi-SSID, 2 detachable antennas	IRR 6,400,000	IRR 6,500,000	7,000,000
TL-WA850RE		300Mbps Wireless N Wall Plugged Range Extender, Qualcomm, 2T2R, 2.4GHz, 802.11b/g/n, 1 10/100M LAN, Ranger Extender button, AP/Range extender mode, 2 internal antennas			
TL-WA855RE		300Mbps Wireless N Wall Plugged Range Extender, Qualcomm, 2T2R, 2.4GHz, 802.11b/g/n, 1 10/100M LAN, Ranger Extender button, AP/Range extender mode, 2 fixed antennas			
EAP320		AC1200 Wireless Dual Band Gigabit Ceiling Mount Access Point, Broadcom, 300Mbps at 2.4GHz + 867Mbps at 5GHz, 802.11a/b/g/n/ac, Beamforming, 1 Gigabit LAN, 802.3af PoE Supported, Centralized Management, Captive Portal, Multi-SSID, 4 internal antennas, Ceiling/Wall Mount			
EAP245		AC1750 Wireless Dual Band Gigabit Ceiling Mount Access Point, Qualcomm, 450Mbps at 2.4GHz + 1300Mbps at 5GHz, 802.11a/b/g/n/ac, Beamforming, 1 Gigabit LAN, 802.3af PoE Supported, Centralized Management, Captive Portal, Multi-SSID, 6 internal antennas, Ceiling/Wall Mount			
EAP115		300Mbps Wireless N Ceiling Mount Access Point, Qualcomm, 300Mbps at 2.4GHz, 802.11b/g/n, 1 10/100Mbps LAN, 802.3af PoE Supported, Centralized Management, Captive Portal, Multi-SSID, 2 internal antennas, Ceiling/Wall Mount			
EAP115-Wall		300Mbps Wireless N Wall-Plate Access Point, Qualcomm, 300Mbps at 2.4GHz, 802.11b/g/n, 1 10/100Mbps LAN, 802.3af PoE Supported, Centralized Management, Captive Portal, Multi-SSID, 2 internal antennas	IRR 3,110,000	IRR 6,000,000	6,500,000
EAP110-Outdoor		300Mbps Wireless N Outdoor Access Point, Qualcomm, 300Mbps at 2.4GHz, 802.11b/g/n, 1 10/100Mbps LAN, Passive PoE Supported, Centralized Management, Captive Portal, Multi-SSID, 5dBi external omni antennas, Pole Mounting			
CPE210		Outdoor 2.4GHz 300Mbps Wireless CPE, Qualcomm, up to 27dBm, 2T2R, 2.4GHz 802.11b/g/n, 9dBi directional antenna, 2 10/100Mbps LAN, Weather proof, Passive PoE, support TDMA and centralized management, AP Router/WISP Client Router/AP/Client/Repeater/Bridge mode	IRR 13,000,000	IRR 14,000,000	14,500,000

TPLINK
1400-05-06 PARS

1400/04/03

1400/04/21


1400/09/08

1400/09/08

CPE610		2x2 MIMO MAXstream TDMA , 23dBi directional antenna and professional structural stability for long-distance outdoor Wi-Fi transmission , Durable IP65 weatherproof enclosure along with 15 kV ESD and 6 kV lightning protection ensures all-weather suitability , Up to 300Mbps on 5GHz wireless data rates			
Router					
Archer C60		AC1350 Dual Band Wireless Router, Qualcomm, 867Mbps at 5GHz + 450Mbps at 2.4GHz, 802.11ac/a/b/g/n, 1 10/100M WAN + 4 10/100M LAN, Wireless On/Off, 5 fixed antennas	IRR 12,000,000	IRR 12,000,000	12,500,000
Archer C50		AC1200 Wireless Dual Band Router, MediaTek, 867Mbps at 5GHz + 300Mbps at 2.4GHz, 802.11ac/a/b/g/n, 1 10/100M WAN + 4 10/100M LAN, Wireless On/Off, 1 USB 2.0 port, 2 fixed antennas	IRR 9,500,000		
Archer C2		AC750 Dual Band Wireless Gigabit Router, MediaTek, 433Mbps at 5GHz + 300Mbps at 2.4GHz, 802.11ac/a/b/g/n, 1 Gigabit WAN + 4 Gigabit LAN, Wireless On/Off, 1 USB 2.0 port, 2 detachable antennas			
Archer C20		AC750 Dual Band Wireless Router, MediaTek, 433Mbps at 5GHz + 300Mbps at 2.4GHz, 802.11ac/a/b/g/n, 1 10/100M WAN + 4 10/100M LAN, Wireless On/Off, 1 USB 2.0 port, 2 fixed antennas	IRR 7,500,000	IRR 7,500,000	8,000,000
TL-WR940N		450Mbps Wireless N Router, Qualcomm, 3T3R, 2.4GHz, 802.11b/g/n, 1 10/100M WAN + 4 10/100M LAN, 3 fixed antennas	IRR 8,000,000	IRR 8,000,000	8,500,000
TL-WR840N		300Mbps Wireless N Router, Qualcomm, 2T2R, 2.4GHz, 802.11b/g/n, 1 10/100M WAN + 4 10/100M LAN, 2 fixed antennas	IRR 3,900,000	IRR 3,950,000	4,300,000
TL-R480T+		5-port Fast Ethernet Multi-Wan Router for Small and Medium Business, Configurable WAN/LAN Ports up to 4 Wan ports, Load Balance, Advanced firewall, Port Bandwidth Control, PPPoE Server, IM/P2P blocking, Port Mirror, DDNS, UPnP, VPN pass-through, 30000 Concurrent Sessions, 1U 13-inch rack-mountable steel case	IRR 18,000,000		
TL-R470T+		5-port Fast Ethernet Multi-Wan Router for Small Office and Net Cafe, Configurable Ports up to 4 Wan ports, Load Balance, Advanced firewall, Port Bandwidth Control, PPPoE Server, Port Mirror, DDNS, UPnP, VPN pass-through, 10000 Concurrent Sessions, Desktop steel case	IRR 10,000,000		
Switch					
TL-SG1048		48-port Gigabit Switch, 48 10/100/1000M RJ45 ports, 1U 19-inch rack-mountable steel case	IRR 42,800,000		
TL-SG1024DE		24-Port Gigabit Easy Smart Switch, 24 10/100/1000Mbps RJ45 ports, MTU/Port/Tag-based VLAN, QoS, IGMP Snooping, 1U 13-inch rack-mountable steel case	IRR 14,200,000	IRR 22,000,000	25,000,000
TL-SG1024		24-port Gigabit Switch, 24 10/100/1000M RJ45 ports, 1U 19-inch rack-mountable steel case	IRR 19,500,000		
TL-SG1024D		24-port Gigabit Switch, 24 10/100/1000M RJ45 ports, 1U 13-inch rack-mountable steel case	IRR 21,240,000	IRR 21,500,000	22,000,000
TL-SG1016DE		16-Port Gigabit Easy Smart Switch, 16 10/100/1000Mbps RJ45 ports, MTU/Port/Tag-based VLAN, QoS, IGMP Snooping, 1U 13-inch rack-mountable steel case	IRR 11,000,000	IRR 19,000,000	20,000,000
TL-SG1016		16-port Gigabit Switch, 16 10/100/1000M RJ45 ports, 1U 19-inch rack-mountable steel case			
TL-SG1016D		16-port Gigabit Switch, 16 10/100/1000M RJ45 ports, 1U 13-inch rack-mountable steel case	IRR 15,300,000	IRR 17,000,000	18,000,000
T1500G-10PS (TL-SG2210P)		Features 8 PoE ports, with total PoE power budget of 53W and useful PoE power management features, L2/L3/L4 QoS and IGMP snooping optimize voice and video applications, WEB/CLI managed modes, SNMP, RMON bring abundant management features	IRR 25,000,000	IRR 26,500,000	27,500,000
TL-SG108		8-port Desktop Gigabit Switch, 8 10/100/1000M RJ45 ports, steel case			
TL-SG1008P		8-Port Gigabit Desktop PoE Switch, 8 Gigabit RJ45 ports including 4 PoE ports, 53W PoE Power supply, steel case	IRR 8,150,000	IRR 9,000,000	10,000,000
TL-SG108PE		8-Port Gigabit Desktop PoE Easy Smart Switch, 8 Gigabit RJ45 ports including 4 PoE ports, 5W PoE Power supply, MTU/Port/Tag-based VLAN, QoS, IGMP Snooping, steel case	IRR 7,280,000	IRR 9,000,000	10,000,000
TL-SG1008D		8-port Desktop Gigabit Switch, 8 10/100/1000M RJ45 ports, plastic case			
TL-SG105		5-port Desktop Gigabit Switch, 5 10/100/1000M RJ45 ports, steel case	IRR 2,150,000	IRR 4,500,000	4,900,000

1400/02/04

1400/08/10

TL-SF1048		48-port 10/100M Switch, 48 10/100M RJ45 ports, 1U 19-inch rack-mountable steel case			
TL-SF1024		24-port 10/100M Switch, 24 10/100M RJ45 ports, 1U 19-inch rack-mountable steel case	IRR 5,820,000	IRR 9,500,000	11,000,000
TL-SF1024D		24-port 10/100M Switch, 24 10/100M RJ45 ports, 1U 13-inch rack-mountable steel case	IRR 4,640,000	IRR 9,200,000	10,500,000
TL-SF1016		16-port 10/100M Switch, 16 10/100M RJ45 ports, 1U 19-inch rack-mountable steel case	IRR 4,100,000	IRR 8,100,000	9,000,000
TL-SF1016DS		16 10/100M RJ45 ports. Green Ethernet technology saves power consumption Supports MAC address self-learning and auto MDI/MDIX. Standard 13-inch steel case.	IRR 3,600,000	IRR 8,500,000	10,000,000
TL-SF1016D		16-port 10/100M Desktop Switch, 16 10/100M RJ45 ports, Plastic case	IRR 2,610,000	IRR 5,650,000	
TL-SF1008D		8-port 10/100M mini Desktop Switch, 8 10/100M RJ45 ports, Plastic case	IRR 960,000	IRR 2,300,000	2,400,000
TL-SF1005D		5-port 10/100M mini Desktop Switch, 5 10/100M RJ45 ports, Plastic case			
TL-SF1005P		5-Port 10/100Mbps Desktop Switch with 4-Port PoE , Working with IEEE 802.3af compliant PDs, expands home and office network Supports PoE Power up to 15.4W for each PoE port Supports PoE Power up to 58W for all PoE ports	IRR 5,000,000	IRR 6,500,000	7,000,000
Network Card					
Archer T1U		AC450 Wireless Nano USB Adapter, Nano Size, MediaTek, 1T1R, 433Mbps at 5GHz, 802.11ac/n/a, USB 2.0, 1 internal antenna	IRR 1,480,000	IRR 4,300,000	4,500,000
Archer T2U		AC600 Dual Band Wireless USB Adapter, MediaTek, 1T1R, 433Mbps at 5GHz + 150Mbps at 2.4GHz, 802.11ac/a/b/g/n, USB 2.0, 1 internal antenna			
TL-WN8200ND		300Mbps High Power Wireless USB Adapter, Realtek, 1T2R, 2.4GHz, 802.11b/g/n, High power up to 500mw, High receive sensitivity, SoftAP, 2 5dBi detachable antennas, Compatible with 54Mbps Wireless G	IRR 2,200,000	IRR 5,100,000	5,400,000
TL-WN822N		300Mbps High Gain Wireless N USB Adapter, Realtek, 2T2R, 2.4GHz, 802.11b/g/n, elegant desktop housing, USB cable, 2 fixed antennas	IRR 3,460,000	IRR 3,500,000	3,700,000
TL-WN821N		300Mbps Wireless N USB Adapter, Realtek, 2T2R, 2.4GHz, 802.11b/g/n, USB 2.0, 2 internal antennas	IRR 3,000,000	IRR 3,000,000	3,300,000
TL-WN823N		300Mbps Wireless N Mini USB Adapter, Realtek, Mini Size, 2T2R, 2.4GHz, 802.11b/g/n, USB 2.0, 2 internal antennas	IRR 2,410,000	IRR 2,600,000	2,700,000
TL-WN725N		150Mbps Wireless N Nano USB Adapter, Nano Size, Realtek, 1T1R, 2.4GHz, 802.11b/g/n, USB 2.0, 1 internal antenna	IRR 1,720,000	IRR 1,900,000	2,000,000
TL-WN881ND		300Mbps Wireless N PCI Express Adapter, Qualcomm, 2.4GHz, 802.11b/g/n, 2 detachable antennas	IRR 4,500,000		
TL-WN781ND		150Mbps Wireless N PCI Express Adapter, Qualcomm, 2.4GHz, 802.11b/g/n, 1 detachable antenna	IRR 2,330,000	IRR 2,700,000	2,900,000
TG-3468		32-bit Gigabit PCI Express Network Adapter, Realtek RTL8168E, 10/100/1000Mbps RJ45 port, Auto MDI/MDIX	IRR 2,500,000	IRR 2,600,000	2,700,000
Accessory					
TL-ANT2424B		2.4GHz 24dBi Outdoor Grid antenna, N-type connector	IRR 3,800,000	IRR 5,000,000	6,000,000
TL-POE200		Power over Ethernet Adapter Kit, 1 Injector and 1 Splitter included, 100 meters PoE extension, 12/9/5VDC output, Plug and Play	IRR 2,320,000	IRR 3,700,000	4,500,000
TL-POE150S		PoE Injector Adapter, IEEE 802.3af compliant, Data and power carried over the same cable up to 100 meters, plastic case, pocket size, plug and play			

TL-POE10R		PoE Splitter Adapter, IEEE 802.3af compliant, Data and power carried over the same cable up to 100 meters, 5V/9V/12V power output, plastic case, pocket size, plug and play			
MC200CM		1000Mbps RJ45 to 1000Mbps multi-mode SC fiber Converter, Full-duplex, up to 550m, switching power adapter, chassis TL-MC1400 rack-mountable			
MC210CS		1000Mbps RJ45 to 1000Mbps single-mode SC fiber Converter, Full-duplex, up to 15km, switching power adapter, chassis TL-MC1400 rack-mountable			
UH720		7-Port USB 3.0 Hub with 2 Power Charging ports, 1 USB 3.0 connector, 7 USB 3.0 ports, 2 USB charging ports (5V/2.4A max per port), desktop, a 12V/4A power adapter included			
UH700		7-Port USB 3.0 Hub, 7 USB 3.0 ports, desktop, a 12V/2.5A power adapter included			
UH400		4-Port USB 3.0, 1 USB 3.0 connector, 4 USB 3.0 ports, portable, no power adapter needed	IRR 1,700,000	IRR 4,500,000	5,000,000
HA100		Bluetooth Music Receiver, Bluetooth 4.1, audio 3.5mm connector			
UE330		USB 3.0 to Gigabit Ethernet Network Adapter with 3-Port USB 3.0 Hub, 1 USB 3.0 connector, 1 Gigabit Ethernet port, 3 USB 3.0 ports			
UE300		USB 3.0 to Gigabit Ethernet Network Adapter, 1 USB 3.0 connector, 1 Gigabit Ethernet port	IRR 4,360,000	IRR 4,500,000	4,900,000
TL-PS110U		Single USB 2.0 port fast ethernet Print Server, supports E-mail Alert, Internet Printing Protocol (IPP) SMB and POST (Power On Self Test), print job log	IRR 9,115,000	IRR 10,000,000	10,500,000
TL-PS310U		Single USB 2.0 port MFP Print and Storage server, compatible with most of MFP(Multi-function printer) and USB storage devices, supports 4-port USB hub extension, supports POST (Power On Self Test)	IRR 10,500,000	IRR 11,500,000	12,000,000